CLINICAL EEG

ELECTROENCEPHALOGRAPHY



Author and Subject Index
Volume 19, 1988

Index of Authors

Ahmed, I., 37, 78, 205
Ambrosetto, Giovanni, 33
Andy, Orlando J., 51
Baker, Yvette, 26
Balestri, P., 68
Bank, A.A., 47
Benfante, Pat, 14
Bernad, Peter G., 46, 174
Bernstein-Lipschitz, Liora, 20
Burke, J.M., 47
Chayasirisobhon, Sirichai, 129
Chiappa, Keith H., 1
Corsak, John, 134
Date, Elaine S., 144
DeFeo, F., 68
Dela Cruz, Chester, 231
DeMarco, Pasquale, 111
Deshmukh, Vinod D., 7
Drake, Jr., Miles E., 123
Duncan, M. Caroline, 114
Enderle, John D., 176
Faynberg, M.G., 47
Flechter, S., 20
Fois, A., 68
Frazier, Ernest, 55, 114
Gabuzda, Dana H., 1
Ganji, S., 55, 114
Gerst, Jeffery W., 176
Ghaly, Ramsis F., 95
Gobbi, Giuseppe, 87
Green, Jacob, 14
Green, Susan, 14
Gürhan, H., 167
Hall, Karyl, 144
Hamm, Alicia, 14
Horowitz, G.R., 47
Hughes, John R., 43, 49, 95, 172, 173, 210
Jacome, Daniel E., 214
Janati, Abdorasool, 26, 199
Jerrett, Steven A., 134
Jeub, Robert P., 52, 172
Jones, Robert P., 37
Jylkka, Margaret M., 46
Komsuoğlu, S.S., 167
Levy, Susan R., 1
LeWitt, Peter A., 108, 129
Lipschitz, Y. Meir, 20
Lycaki, Helene, 129
Macdonald, G.M., 74
Malandrini, F., 68
Melideo, Giustino, 87
Metzer, W. Steven, 199
Miller, J.K., 210
Nickols, Jess, 199
Niedermeyer, E., 43
Norstrand, Iris Fletcher, 174
Nowack, William J., 26, 44, 199
Ortega, H. Rick, 144
Özcan, C., 167
Özmenoğlu, M., 167
Padamadan, Hosi, 123
Pakalnis, Ann, 123
Patterson, Terry, 44
Pepple, Richard, 37
Peters, Gill, 55
Rappaport, Maurice, 144
Reilly, Edward L., 174
Ricciotti, Andrea, 87
Roccaforte, Peter, 95
Rossi, Paola Giovanardi, 87
Ryder, John G., 48
Santucci, Margherita, 87
Schear, Harley E., 50
Shaw, N.A., 16, 219
Spivak, Don, 129
Spudis, E.V., No. 2: IX
Staton, R. Dennis, 176
Stone, James L., No. 2: VIII, 95
Suarez, Manuel, 214
Subramanian, Kodanallur S., 95
Synek, B.J.L., 74
Synek, V.M., 16, 74, 160
Syrigou-Papavasiliou, Antigone, 108, 129
Tassinari, Carlo Alberto, 33
Tinuper, Paolo, 33
Toglia, Joseph U., 45 ,225
Tomaccini, D., 68
Vardi, J., 20
Vascotto, M., 68
Verma, Narayan P., 108, 129, 231
Warner, Jr., Ernest G., 53, 173
Willis, John, 155
Wilson, J.L., 74
Zappulla, Rosario A., 48

Index of Subjects

Absence seizures and, atypical myoclonic seizures, 87-94
—brain stem discharges, 51-52
—intractable epilepsy, 68-73
—non-convulsive status epilepticus, 47-48
—status epilepticus resulting from Metrizamide and Omnipaque myelography, 37-42
Acquired Immunodeficiency Syndrome (AIDS) and, EEG in AIDS and AIDS-related complex, 1-6
Activation procedures and, EEG, 174
Alpha activity and, Cheyne-Stokes respirations, 26-32
—coma in adults, 160-166
—topographic EEG brain mapping, clinical utility, 134-143
Alpha pattern coma and, prognosis in adults, 160-166
Alzheimer's disease and, EEG in aging and degenerative brain disease, 172
Anesthesia and, a chain of suprasegmental neuroscillatory circuits, a human brain theory, 7-13
Animal studies and, increased intracranial pressure and auditory brainstem responses, 95-107
Anoxia and, EEG prognostic importance in coma in adults, 160-166
Anterior temporal localization and, electrode in the adult EEG, 199-204
Antiepileptic therapy and, absence status epilepticus resulting from myelography, 37-42
—electrical status epilepticus with sensory aphasia, 111-113
—intractable epilepsy, 68-73
Aphasia and, electrical status epilepticus during slow sleep, 111-113
Apneic episodes and, Cheyne-Stokes respirations with unilateral alpha rhythm, 26-32
Artifacts and, eye movements in brain maps, 210-213
Asymmetry, amplitude, and, Cheyne-Stokes respirations, 26-32
—median nerve SSEP normative data, 16-19
—Sydenham's chorea, 114-122
—topographical brain mapping, 48-49
Attention deficit disorder and, Methylphenidate effects on late event-related potentials, 129-133
Auditory evoked potentials and, a chain of suprasegmental neuroscillatory circuits, a human brain theory, 7-13
—ear-to-ear derivation in short latency BAER, 231-234
—intracranial lesions, 95-107
—methylphenidate in attention deficit disorder, 129-133
—nontraumatic coma, 55-67
—Sydenham's chorea, 114-122
—Tourette syndrome, 108-110
Autonomic seizures and, ictus emeticus induced by photic stimulation, 214-218
Behavior disturbances and, atypical myoclonic absences, 87-94
Beta activity and, clinical utility of brain mapping, 134-143
Blindness and, recording eye movements with EEG equipment, 225-230
Book review, A Textbook of Clinical Neurophysiology, No. 2, VIII
Brain mapping, see Mapping, brain
Brainstem auditory evoked responses (BAER), See Auditory evoked potentials
Brain stem discharges and, chronic pain and absence seizures, 51-52
Brain theory and, a chain of suprasegmental neuroscillatory circuits, 7-13
Burst suppression pattern and, coma in adults, 160-166
Cardiopulmonary arrest and, SSEP in the prediction of outcome from coma, 78-86
Cerebrovascular accident and, SSEP in the prediction of outcome from coma, 78-86
—See also Vascular disorder
Cheyne-Stokes respirations and, unilateral alpha rhythm, 26-32
Children and, electrical status epilepticus during slow sleep, one case with sensory aphasia, 111-113
—normal EEG, 173
—See also Infants
Choreoathetosis and, Sydenham's chorea, clinical, EEG, CT and EP studies, 114-122
Clobazam and, electrical status epilepticus, case with sensory aphasia, 111-113
Cognitive dysfunction and, AIDS, 1-6
Coma and, diagnostic utility of EEG, 174
—EEG abnormality grades and subdivisions of prognostic importance in traumatic and anoxic coma in adults, 160-166
—somatosensory and brainstem auditory evoked potentials in nontraumatic coma, 55-67
—SSEP in the prediction of outcome, 78-86
Complex partial seizures and, intractable epilepsy, 68-73

—Marfan's syndrome, a case report with status epilepticus, 33-36
—nonconvulsive status epilepticus, 47-48
—status epilepticus, 167-171
Concussion and, closed head injury, 46-47, 174-175
—See also Trauma, head
Conversion disorder and, frequency analysis, 123-128
Criminals and, medical-legal EEG, 49-50
CT scan and, clinical utility of topographic EEG brain mapping, 134-143
—hemispheric lesions, acute,205-209
—Sydenham's chorea, 114-122
Degenerative brain disease and, EEG in aging, 172
Delta activity and, AIDS, 1-6
—coma in adults, 160-166
—eye movements in brain maps,210-213
—pattern during ECT, mechanisms,176-198
—topographic brain mapping, 134-143
—See also Slow activity
Dementia and, AIDS, 1-6
—EEG in aging and degenerative brain disease, 172
Depth recording and, brain stem discharges, 51-52
Dermatomal somatosensory evoked responses and, clinical effectiveness, 14-15
—spinal cord injured and normal subjects, 144-154
Dizziness and, ictus emeticus induced by photic stimulation, 214-218
Drugs and, absence status epilepticus resulting from Metrizamide and Omnipaque myelography, 37-42
—electrical status epilepticus, case with sensory aphasia, 111-113
—intractable epilepsy, 68-73
—Methylphenidate effects on late event-related potentials in attention deficit disorder, 129-133
EEG technology and, anterior temporal electrode in the EEG of the adult,199-204
—ear-to-ear derivation in BAER, 231-234
—instrumentation, 174
—monopolar and bipolar recording techniques, No. 2, VIII
—real and apparent progress, 43
—recording eye movements with EEG equipment, 225-230
—telephonic EEG, 50-53
Electrical status epilepticus and, slow sleep, one case with sensory aphasia, 111-113
—See also Status epilepticus
Electroconvulsive therapy (ECT) and, nonconvulsive status epilepticus, 47-48
—origins of Phase III delta energy and mechanisms of action of ECT,176-198
Electrodes and, anterior temporal, in the EEG of the adult,199-204
—See also EEG technology
Electronystagmography and, recording eye movements with EEG equipment, 225-230
—recording techniques, 45
Encephalitis and, AIDS, 1-6
Epilepsy, See Seizures
Evoked potentials and, dermatomal stimulation in cervical spinal cord injured and normal subjects, 144-154
—ear-to-ear derivation in BAER, 231-234
—effectiveness of dermatomal SSEP, 14-15
—far field correlates of thalamic activity,219
—human brain theory, a chain of suprasegmental neuroscillatory circuits, 7-13
—intracranial lesions, 95-107
—median nerve SSEP, normative data, interside amplitude asymmetries, 16-19
—Methylphenidate effects in attention deficit disorder, 129-133
—nontraumatic coma, 55-67
—prediction of outcome from coma, 78-86
—SSEP after removal of meningioma, 74-77
—stage II infants' sleep, 155-159
—Sydenham's chorea, 114-122
—Tourette syndrome, 108-110
Eye movements and, brain maps, 210-213
—recording with EEG equipment, 225-230
Familial disorder and, intractable epilepsy, 68-73
—Marfan's syndrome, 33-36
Fast activity and, clinical utility of topographic EEG brain mapping, 134-143
Febrile convulsions and, intractable epilepsy, 68-73
Frequency analysis, EEG, and, conversion and somatoform disorder, 123-128
Glasgow Coma Scale and, evoked potential studies in nontraumatic coma, 55-67
Glutamate and, spike and wave epilepsy, 20-25
Grand mal seizures and, intractable epilepsy, 68-73
—malignant cystic meningioma with spike and wave pattern, 20-25
—suprasegmental neuroscillatory circuits, human brain theory, 7-13
—See also Seizures
Headache and, malignant cystic meningioma with seizures, 20-25
Head injury, See Trauma, head
Hearing and, ear-to-ear derivation in short latency BAER, 231-234
Hemorrhage, See Vascular disorder
Homosexuals and, EEG in AIDS, 1-6
Human immunodeficiency virus and, AIDS, 1-6
Hydrocephalus and, modified auditory brainstem responses, 95-107
Hypoxic encephalopathy and, evoked potential studies in nontraumatic coma, 55-67

Hysteria and, EEG frequency analysis in conversion and somatoform disorder, 123-128
Ictus emeticus and, photic stimulation,214-218
Infantile spasms and, intractable epilepsy, 68-73
Infants and, normal EEG, 173
—positive temporal sharp waves, 44
—stage II sleep SSEP, 155-159
Infections and, AIDS, 1-6
Intracranial lesions and, modified auditory brainstem responses, 95-107
—See also Tumor, brain
Isoelectric EEG and, coma in adults, 160-166
Lennox-Gastaut syndrome and, intractable epilepsy, 68-73
Letter to the Editor, a two-second EEG fellowship, No. 2, IX-XI
Lymphoma and, EEG in AIDS, 1-6
Magnetoencephalography and, review, 43
Mapping, brain, and, clinical utility, 134-143
—eye movements, 210-213
—in a clinical environment, 48-49
Marfan's syndrome and, recurrent complex partial status epilepticus and myoclonus, a case report, 33-36
Median nerve and, SSEP interside amplitude asymmetries, normative data, 16-19
—thalamic acitvity in SSEP, 219-224
Medical-legal EEG and, review, 49-50
Memory loss and, AIDS, 1-6
Meningioma and, spike and wave EEG pattern, malignant cystic, 20-25
—unusual scalp recorded SSEP after removal, 74-77
Meningitis and, EEG in AIDS, 1-6
Mental retardation and, atypical myoclonic absences, 87-94
—intractable epilepsy, 68-73
—Marfan's syndrome with seizures, 33-36
Metabolic encephalopathy and, evoked potential studies in nontraumatic coma, 55-67
Methylphenidate and, effects on late event-related potentials in attention deficit disorder, 129-133
Metrizamide myelography and, absence status epilepticus, 37-42
Modified auditory brainstem responses (MABR) and, patients with intracranial lesions, 95-107
Montage, See EEG technology
MRI and, clinical utility of topographic EEG brain mapping, 134-143
—Sydenham's chorea, 114-122
Myelography and, absence status epilepticus resulting from Metrizamide and Omnipaque myelography, 37-42
Myoclonic seizures and, absences, atypical, clinical, EEG and neuropsychological aspects, 87-94
—intractable epilepsy, 68-73
—Marfan's syndrome, 33-36
Neonatal EEG and, positive temporal sharp waves, 44
—See also Infants
Neuroscillators and, a human brain theory, 7-13
Nitrazepam and, electrical status epilepticus, case with sensory aphasia, 111-113
Normal EEG and, infants, children and young adults, 173
Normal subjects and, SSEP dermatomal stimulation, 144-154
—thalamic activity in SSEP, 219-224
Nystagmus and, electronystagmography, 45
—post-concussion syndrome, 46
—recording eye movements with EEG equipment, 225-230

Omnipaque myelography and absence status epilepticus, 37-42

Pacemaker neurons and, a human brain theory, 7-13
Pain and, absence status epilepticus resulting from myelography, 37-42
—brain stem discharges, 51-52
—clinical effectiveness of dermatomal SSEP, 14-15
Parietal localization and, tumor with spike and wave pattern, 20-25
Partial seizures, complex, and, intractable epilepsy, 68-73
—Marfan's syndrome, a case with status epilepticus, 33-36
—nonconvulsive status epilepticus, 47-48
—status epilepticus, 167-171
Partial seizures, simple, and, intractable epilepsy, 68-73
Perinatal disorder and, intractable epilepsy, 68-73
Personality disorder and, EEG frequency analysis in conversion and somatoform disorder, 123-128
Petit mal seizures and, atypical myoclonic seizures, 87-94
—brain stem discharges, 51-52
—human brain theory, 7-13
—intractable epilepsy, 68-73
—nonconvulsive status epilepticus, 47-48
—status epilepticus resulting from Metrizamide and Omnipaque myelography, 37-42
Photic stimulation and, ictus emeticus, 214-218
Positive temporal sharp waves and, neonatal EEG, 44
Psychiatric disorder and, AIDS, 1-6
—ECT mechanisms of action, Phase III delta energy, 176-198
—schizophrenia, subcortical pathogenesis, 44

Psychomotor seizures and, complex partial status epilepticus, 167-171
—See also Complex partial seizures
Radiculopathy and, dermatomal SSEP, 14-15
Schizophrenia and, studies toward the subcortical pathogenesis, 44
Seizures and, AIDS, 1-6
—atypical myoclonic absences, 87-94
—brain stem discharges, 51-52
—complex partial status epilepticus, 167-171
—ECT, origins of Phase III delta energy,176
—electrical status epilepticus during slow sleep, 111-113
—a human brain theory, 7-13
—ictus emeticus induced by photic stimulation, 214-218
—intractable epilepsy, etiology, risk factors and treatment, 68-73
—Marfan's syndrome, 33-36
—meningioma with spike and wave pattern, 20-25
—nonconvulsive status epilepticus, 47-48
—sensory aphasia, 111-113
—status epilepticus from myelography, 37-42
Sharp waves and, AIDS, 1-6
—Marfan's syndrome, 33-36
—positive temporal, neonatal, 44
—See also Spikes
Sleep and, electrical status epilepticus, one case with sensory aphasia, 111-113
—infants' short latency SSEP, stage II, 155-159
—normal activity in infants, children and young adults, 173
—recording in Sydenham's chorea, 114-122
Slow activity and, AIDS, 1-6
—anterior temporal electrode in the adult,199
—coma in adults, 160-166
—complex status epilepticus, 167-171
—ECT mechanisms of action, Phase III delta energy, 176-198
—EEG significance, 173
—eye movements in brain maps, 210-213
—hemispheric lesions, 205-209
—Sydenham's chorea, 114-122
—topographic EEG brain mapping, 134-143
Somatoform disorder, and EEG frequency analysis, 123-128
Somatosensory evoked potentials (SSEP) and, a chain of suprasegmental neuroscillatory circuits, a human brain theory, 7-13
—dermatomal evoked responses, clinical effectiveness, 14-15
—dermatomal stimulation in cervical spinal cord injured and normal subjects, 144-154
—far field correlates of thalamic activity,219
—interside amplitude asymmetries, normative data, 16-19
—intraventricular meningioma, unusual scalp recorded potentials after removal, 74-77
—nontraumatic coma, 55-67
—prediction of outcome of coma, 78-86
—stage II sleep in infants, 155-159
—Sydenham's chorea, 114-122
Space occupying lesions and, clinical utility of topographic EEG brain mapping, 134-143
—See also Tumor, brain
Speech disorder and, electrical status epilepticus during slow sleep, 111-113
Spike and wave activity and, absence status epilepticus resulting from myelography, 37-42
—atypical myoclonic absences, 87-94
—ECT, origins of Phase III delta energy and mechanism of ECT, 176-198
—a human brain theory, neuroscillatory circuits, 7-13
—ictus emeticus induced by photic stimulation, 214-218
—malignant cystic meningioma, 20-25
Spikes and, absences, atypical myoclonic, 87-94
—anterior temporal electrode in the EEG of the adult, 199-204
—coma in adults, 160-166
—complex status epilepticus, 167-171
—epileptiform patterns of uncertain significance, 172
—ictus emeticus induced by photic stimulation, 214-218
—two-second EEG fellowship, No. 2, IX-XI
Spinal cord injury and, somatosensory evoked responses to dermatomal stimulation, 144-154
Spindle pattern coma and, prognosis in adults, 160-166
Spindles, sleep, and, coma in adults, 160-166
Status epilepticus and, absence seizures resulting from myelography, 37-42
—complex partial status epilepticus, 167-171
—Marfan's syndrome, 33-36
—non-convulsive, 47-48
—slow sleep, case with sensory aphasia, 111-113
Stroke and, evoked potentials in nontraumatic coma, 55-67
—topographic brain mapping, 134-143
—value of EEG in acute hemispheric lesions, 205-209
—See also Vascular disorder
Suprasegmental circuits and, a human brain theory, 7-13
Sydenham's chorea and, clinical, EEG, CT scan, and evoked potential studies, 114-122
Synaptic receptors and, Phase III delta energy and mechanism of ECT, 176-198
Technology, See EEG Technology
Telephonic EEG and, reviews, 50-53

Temporal localization and, complex status epilepticus, spikes, 167-171
—electrode in the anterior temporal in the adult, 199-204
—ictus emeticus induced by photic stimulation, 214-218
—positive sharp waves, neonatal, 44
Thalamus and, SSEP in coma, 78-86
—SSEP far field correlates, 219-224
—unilateral alpha rhythm and Cheyne-Stokes respirations, 26-32
Theta activity and, AIDS, 1-6
—clinical utility of topographic mapping, 134-143
—coma in adults, 160-166
—See also Slow activity
Theta pattern coma and, prognosis in adults, 160-166
Three per second spike and wave discharges and, atypical myoclonic absences, 87-94
—human brain theory, neuroscillatory circuits, 7-13
Topographic EEG brain mapping and, clinical utility, 134-143
—in a clinical environment, 48-49
Tourette syndrome and, sensory evoked responses, 108-110
Toxoplasmosis and, EEG in AIDS, 1-6
Trauma, head, and, clinical utility of topographic EEG brain mapping, 134-143
—modified auditory brainstem responses, 95-107
—post-concussion syndrome, 46-47, 174-175
—prognostic importance of EEG in coma in adults, 160-166
—SSEP in prediction of outcome from coma, 78-86
Tremors and, a chain of suprasegmental neuroscillatory circuits, a human brain theory 7-13
Tumor, brain, and, clinical utility of topographic EEG brain mapping, 134-143
—intraventricular meningioma and unusual SSEP after removal, 74-77
—malignant cystic meningioma with spike and wave pattern, 20-25
—modified auditory brainstem responses, 95-107
Vascular disorder and, Cheyne-Stokes respirations with unilateral alpha rhythm, 26-32
—clinical utility of topographic brain mapping, 134-143
—evoked potentials in nontraumatic coma, 55-67
—modified auditory brainstem responses, 95-107
—SSEP in prediction of outcome from coma, 78-86
—value of EEG in acute hemispheric lesions, 205-209
Vertigo and, ictus emeticus induced by photic stimulation, 214-218
Vestibular tests and, recording with EEG equipment, 225-230
Visual evoked potentials and, a chain of suprasegmental neuroscillatory circuits, a human brain theory, 7-13
—Tourette syndrome, 108-110
Vomiting and, ictus emeticus induced by photic stimulation, 214-218

Wake-sleep cycle and, a chain of suprasegmental neuroscillatory circuits, a human brain theory, 7-13